

CORRECTION

Open Access



Correction: Bubbling insights: unveiling the true sophorolipid biosynthetic pathway by *Starmerella bombicola*

Sophie L. K. W. Roelants^{1,2,4*}, Stijn Bovijn¹, Elvira Bytyqi¹, Nicolas de Fooz¹, Goedele Luyten¹, Martijn Castelein¹, Thibo Van de Craen¹, Zhoujian Diao³, Karolien Maes², Tom Delmulle¹, Maarten De Mol¹, Sofie L. De Maeseneire¹, Bart Devreese³ and Wim K. Soetaert^{1,2,4}

Correction: Biotechnology for Biofuels and Bioproducts (2024) 17:113

<https://doi.org/10.1186/s13068-024-02557-7>

The original publication of this article [1] contained errors in Abbreviations and in the caption of Figure 1. The incorrect and correct Abbreviations and Figure 1 captions are shown in this correction article. The original article has been updated.

Abbreviations

Incorrect:

mAC Mono-acetylated
SBLE *Starmerella bombicola* Lactone esterase

tetraAc Tri-acetylated

Correct:

mAc Mono-acetylated
SBLE *Starmerella bombicola* lactone esterase
triAc Tri-acetylated

Figure 1 Caption

Incorrect:

Fig. 1 General structure of the described sophorolipids (SLs). **A** Acidic SL, **B** lactonic SL, **C** bolaform SL. The SLs can be acetylated on each of the glucose units and can thus occur as either non-acetylated (R=–H) or acetylated (R=–COCH₃) with an acetylation degree up to two (for acidic and lactonic SLs) or four (for bolaform SLs)

Correct:

Fig. 1 General structure of the described sophorolipids (SLs). **A** acidic SL, **B** lactonic SL, **C** bolaform SL. The SLs can be acetylated on each of the glucose units and can thus occur as either non-acetylated (R=–H) or acetylated (R=–COCH₃) with an acetylation degree up to two (for acidic and lactonic SLs) or four (for bolaform SLs).

Published online: 13 January 2025

The original article can be found online at <https://doi.org/10.1186/s13068-024-02557-7>.

*Correspondence:

Sophie L. K. W. Roelants
sophie.roelants@ugent.be

¹ Centre for Industrial Biotechnology and Biocatalysis (InBio.be), Department of Biotechnology, Faculty of Bioscience Engineering, Ghent University, Coupure Links 653, 9000 Ghent, Belgium

² R&D Department, Bio Base Europe Pilot Plant (BBEPP), Rodenhuzekaai 1, 9042 Desteldonk, Belgium

³ Laboratory of Microbiology—Protein Research Unit, Department of Biochemistry and Microbiology, Faculty of Science, Ghent University, K. L. Ledeganckstraat 35, 9000 Ghent, Belgium

⁴ R&D Department, AmphiStar, Suzanne Tassierstraat 1, 9052 Zwijnaarde, Belgium



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

Reference

1. Roelants SLKW, Bovijn S, Bytyqi E, de Fooz N, Luyten G, Castelein M, Van de Craen T, Diao Z, Maes K, Delmulle T, De Mol M, De Maeseneire SL, Devreese B, Soetaert EK. Bubbling insights: unveiling the true sophorolipid biosynthetic pathway by *Starmerella bombicola*. *Biotechnol Biofuels*. 2024;17:113.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.